

HPD UNIQUE IDENTIFIER: 30086

CLASSIFICATION: 09 60 00 Flooring

PRODUCT DESCRIPTION: REGUPOL revolution recycled rubber commercial Flooring is manufactured in the US, featuring post-consumer, recycled tire rubber, along with vivid colored rubber granules to make unique patterns and designs. This 5/32" thickness resilient roll and tile floor covering by nature offers superior durability and comfort under foot for most walking surfaces in your facility.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Completed in 3 of 3 Materials	<input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Yes <input checked="" type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>Screened</i>
<input checked="" type="radio"/> Product			<i>Provided screening results using HPDC-approved methods.</i>
			<input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Identified</i>
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

RECYCLED RUBBER [RECYCLED RUBBER] BINDER [UNDISCLOSED LT-P1 | SKI | MAM UNDISCLOSED LT-UNK | CAN | RES | EYE | SKI | MAM UNDISCLOSED LT-UNK | CAN | RES | SKI | EYE | MAM UNDISCLOSED LT-P1 | SKI | EYE | MAM | CAN] EPDM [UNDISCLOSED BM-3dg UNDISCLOSED LT-UNK | CAN | UNDISCLOSED LT-UNK | UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | CAN | MAM | EYE | SKI UNDISCLOSED LT-UNK | UNDISCLOSED BM-1 | SKI | MAM UNDISCLOSED LT-1 | CAN | END | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MixedRecycledContent]

Residuals were considered in this HPD. Recycled SBR Rubber Composition was derived from "Assessment of the Environmental Impact of a Car Tire throughout Its Lifecycle Using the LCA Method" found at <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6947500/>. No guidance exists for best practices for disclosing composition for recycled content with multiple, unknown suppliers. Citation of the composition information from the above study was used in lieu of specific supplier data.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

Recycled content: GreenCircle - Recycled Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2022-10-10

PUBLISHED DATE: 2022-10-10
EXPIRY DATE: 2025-10-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

RECYCLED RUBBER

%: 82.2300

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

RECYCLED RUBBER

ID: Mixed Recycled Content

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 100.0000 GreenScreen: Not Required RC: PostC NANO: No MATERIAL ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION: Recycled rubber from tires

ANALYTICAL TESTING: Tires consist primarily of synthetic and natural rubber and small amounts of additional additives.

BATCH VARIATION: Yes, Tires are sourced from a variety of manufacturing locations with varying chemical compositions.

COUNTRY OF ORIGIN: USA

MATERIAL CONTENT NOTES: No information is missing.

This disclosure does not provide information on the potential presence of hazardous substances which may be found in certain mixed recycled materials.

BINDER

%: 7.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: [Pharos Chemical and Materials Library](#) HAZARD SCREENING DATE: 2022-10-10 7:15:39

%: 74.1300 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
	EC - CEPA DSL	Persistent
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Residuals Not Considered for Product

UNDISCLOSED		ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-10 7:15:40
%: 24.1100	GreenScreen: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-10 7:15:41

%: 20.9200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
SKI	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand		Eye irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
CAN	GHS - New Zealand		Carcinogenicity category 2	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
SKI	GHS - Japan		H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]	
CAN	EU - Annex VI CMRs		Carcinogen Category 2 - Suspected human Carcinogen	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
SKI	GHS - New Zealand		Skin sensitisation category 1	
MAM	GHS - New Zealand		Acute inhalation toxicity category 2	
EYE	GHS - Korea		H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]	

SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES: Residuals Not Considered for Product

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-10 7:15:45
%: 1.4600	GreenScreen: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
	EC - CEPA DSL	Persistent
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Residuals Not Considered for Product

EPDM

%: 4.7700

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-10 7:15:39

%: 41.2320 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES: Residuals Not Considered for Product

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-10 7:15:40

%: 24.9450 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

EC - CEPA DSL

Persistent

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES: Residuals Not Considered for Product

UNDISCLOSED

ID: Undisclosed

%: 20.6160	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Residuals Not Considered for Product				

UNDISCLOSED

ID: Undisclosed

%: 10.3080	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Residuals Not Considered for Product				

UNDISCLOSED

ID: Undisclosed

%: 0.0000 - 4.9900	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
	EC - CEPA DSL		Persistent	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Residuals Not Considered for Product				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-10-10 7:15:43

%: 0.0000 - 4.9900	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Residuals Not Considered for Product

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-10-10 7:15:44

%: 0.0000 - 4.9900	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
	EC - CEPA DSL		Persistent	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
SKI	GHS - Japan		H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Products	

SUBSTANCE NOTES: Residuals Not Considered for Product

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2022-10-10 7:15:45

%: 0.0000 - 4.9900	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
--------------------	--------------------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
	EC - CEPA DSL	Persistent
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Residuals Not Considered for Product

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Lebanon, PA
CERTIFICATE URL:

ISSUE DATE: 2012-11-02
EXPIRY DATE:

CERTIFIER OR LAB: berkeley analytical

CERTIFICATION AND COMPLIANCE NOTES: Both Formaldehyde and Individual VOCs of Concern Compliant for School Classroom and Private Office according to California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010 (Emission testing method for CA Specification 01350)

RECYCLED CONTENT

GreenCircle - Recycled Content

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Lebanon, PA
CERTIFICATE URL:
<https://db.greencirclecertified.com/api/v1/certificates/1382/generate-certificate>

ISSUE DATE: 2022-04-01
EXPIRY DATE: 2023-03-31

CERTIFIER OR LAB: GreenCircle Certified, LLC

CERTIFICATION AND COMPLIANCE NOTES: 7% Recycled Content Minimum 2% Pre-Consumer Content Minimum 5% Post-Consumer Content
Certification Number: 22-0191

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

REGUPOL PU350 POLYURETHANE ADHESIVE

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: REGUPOL PU350 POLYURETHANE ADHESIVE Recommended Adhesive for Flooring Installation.

Section 5: General Notes

This Health Product Declaration was developed by Sustainable Solutions Corporation of Royersford, PA

MANUFACTURER INFORMATION

MANUFACTURER: Regupol America
ADDRESS: 11 Ritter Way
Lebanon PA 17042, United States
WEBSITE: www.regupol.com

CONTACT NAME: George Soukas
TITLE: CEO
PHONE: 1-800-537-8737
EMAIL: info@regupol.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.